## POLLUTION PREVENTION & CONTROL



# PERMIT CONDITIONS COMPLIANCE CHECK REPORT

Installation Address:	H Cope & Sons Ltd Moody Lane Grimsby North East Lincolnshire DN31 2SY
Contact:	A.
Permit Ref:	EP/20020001A/V3
Date of Varied Permit:	05.02.15
Permitted activity:	Mobile crushing & Screening
Guidance Note:	PG 3 / 16 (04)
Date of Visit:	7/9/15.
Report Reference:	HC1 Y
Condition number:	
1 Asbestos shall not be crushed or screened	Compliant.
2 Operator provides notification to NELC location of where mobile plant will be operating including start date?	Yes, notification given.
Operator notifies regulator of any changes     of plant (new plant / replacement)	information provided.
4 No visible emissions of particulate matter beyond the installation boundary?	solver, saturate pile befre crusher.
5 Monitoring  Daily visual assessment completed during start up and at least two more occasions?	Yes compliant & add date to observation shout.
Observations recorded?	Yes. "Add column for resolt
6 Maintenance programme? Records?	Yes wealthy checks.
<b>7</b> Dusty material stored in storage bays and subject to suppression?	The site is in the
<b>8.</b> Crusher totally contained or fitted with water suppression over crusher aperture?	Yes-water suppression over aperture.
9 Suitable water supply available? Crusher not used if water supply not	Ye s

once complete

#### **POLLUTION PREVENTION & CONTROL**

available and is needed to control		
emissions?		
10. Deposits of dust on plant shall be	Yes.	
cleaned off at the end of each working day?	167	
11. Processed material likely to generate	Yes.	
dust conditioned with water prior to internal	162.	
transfer?		
12. Belt conveyor	o.u.	
Conveyed in a way that prevents escape of		
visible emissions. Transfer points fitted with		
wind protection barrier?		
13. Transport	Ves + would suggest	
Dusty materials or finished products arrive /	diversi snage to remand	
leave site via sheeted or fully enclosed	site. when beauty	
vehicles?		
14. Roadways – consolidated surfaces that	Sweeper back up and	one work
are kept clean and good repair?	running know. Work to be undertaken	de complete
15. Vehicles not track material onto	Roedsweeper	
highway?	5	
16 Records kept for two years and available	Yes.	
for inspection?		
17. Staff training	Verbal - some record	
	Staff has received to	rania'

## Risk Assessment Score Sheet

#### **Operator Performance Appraisal**

		ossib Score:	Score Awarded	
Criterion	(x) Yes	(y) No	(z) N/A	
(A) All monitoring undertaken to the degree required in the authorisation?	0	10	0	YO
(B) Monitoring requirements reduced because results over time show consistent compliance?	-5	0	0	NINO
(C) Process operation modified where any problems indicated by monitoring?	0	5	0	NIAO
(D) Fully documented and adhered to maintenance programme, in line with authorisation?	0	5	0	Y o.

#### POLLUTION PREVENTION & CONTROL

Total score	(-5 to 30)			0
(F) All relevant documents forwarded to the authority by date required?	0	5	0	NIA O
(E) Full documented records as required in authorisation available on-site?	0	5	0	YO

Component 7 - Assessment of Management,	Trainir	ng and	l Resp	onsibility	=
	11.25	ossib Scores	2000	Scores Awarded	×
Criterion	(x) Yes	(y) No	(z) N/A		
(A) Documented procedures in place for implementing all aspects of the authorisation?	0	5	0	25	written procedure for staff
(B) Specific responsibilities assigned to individual staff for these procedures?	0	5	0	γo	
(C) Completion of individual responsibilities checked and recorded by the company?	0	5	0	YO	
(D) Documented training records for all staff with air pollution control responsibilities?	0	5	0	NS	add training record.
(E) Trained staff on site throughout periods where potentially air-polluting activities take place?	0	5	0	YO	
(F) Is an 'appropriate' environmental management system in place?	-5	0	0	NIA O	
Total	(-	5 to 2	5)	10.	

Total Score for Operator Performance Appraisal	Range -10 to 105	10
--	---------------------	----

OVERALL SCORE FOR THE PROCESS	Range -10 to 175	10
REGULATORY EFFORT CATEGORY * high=score of >55, medium 30-55 and low <30	LOW, MED, HIGH	LOW

Officer: VICKY THOMPSON

Officer Signature: V. Therefore

**Operator Signature** 

Date: 07/09/15