

Comments for Planning Application DM/0869/22/PAT

Application Summary

Application Number: DM/0869/22/PAT

Address: Land East Of Grimsby Road Waltham North East Lincolnshire

Proposal: Proposed telecommunications installation: Proposed 18.0m Phase 8 Monopole C/W wraparound Cabinet at base and associated ancillary works (Amended Site Address)

Case Officer: Bethany Loring

Customer Details

Name: Mr William Jones

Address: 135 Grimsby Road Waltham

Comment Details

Commenter Type: Neighbour

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: It is alleged that the proposed mast and equipment may have some potential risks to people's health.

There are numbers of children walking to and from school, people jogging, people walking, cycling and generally taking in the peace and quiet of the green spaces to both sides of the road, all of these and the local residents could be exposed to any undue dangerous radiation or other risks to health matters.

Have the council carried out due diligence to establish that they are not supporting a health risk?

Can the operator of this telephone system guarantee the safety of this system so close to residential areas?

Why not carry out the installation of the mast at the telephone exchange building just up the road?

I am sure there are many residents young and old who would like to hear some reassuring words from the council and the phone company regarding how safe these masts really are.

I therefore object to the siting of this mast and equipment on the grounds of health and safety.