

North East Lincolnshire Council Air Quality Strategy

Achieving clean air in North East Lincolnshire

2021-2026



Executive Summary


North East Lincolnshire Council's (NELC) Air Quality Strategy (AQS) runs from 2021-2026 and focuses on achieving clean air in North East Lincolnshire.


A review was undertaken in February 2025 to reflect the revocation of the AQMA at Cleethorpe Road. A full revision, incorporating potential new statutory requirements, will be undertaken in 2026 including a public consultation exercise, prior to an updated version being published.

Air pollution is a major public health risk ranking alongside cancer, heart disease and obesity. It causes more harm than passive smoking. An estimated 4.2 million premature deaths globally are linked to ambient air pollution, mainly from heart disease, stroke, chronic obstructive pulmonary disease, lung cancer, and acute respiratory infections in children¹. There is emerging evidence of other health effects, for example, emerging evidence has associated air pollution with dementia and Type 2 diabetes ².

- The Government published its Clean Air Strategy in January 2019³. This document enables the Council to work with central government on policies and issues beyond NELC's direct influence. The national strategy sets out a framework to minimise human exposure to harmful concentrations of pollution and represents a change in focus towards tackling smaller and more diffuse sources of air pollution.
- Local authorities are encouraged by DEFRA (Department of Environment, Food & Rural Affairs) to implement local Air Quality Strategies. This Air Quality Strategy will provide a framework to deliver local air quality improvements which is aimed at informing policy and direction across a wide range of council services.
- The strategy focuses on seven broad topics which set out the areas where the council can influence a reduction in air pollution within the borough:

- **Transport**: Working towards a cleaner, less polluting transport network that both supports sustainable transport modes (walking, cycling, car share and public transport) and makes maximum use of existing resources through effective highways and transport planning.
- Public Health: Encouragement of wider behavioural changes in the local population with respect to their travel choices, raise awareness and educate members of the public on the health impact of air pollution.
- Planning and Infrastructure: Be involved in the planning decision making process as early as is practicable to mitigate potential air quality impacts and support environmentally sustainable development in NEL.
- Strategies and Policy Guidance: Working with other departments and stakeholders to direct the use of legislation and targeted enforcement to control air pollution.
- Air Quality Monitoring: The collation of air quality monitoring data will identify pollution hotspots enabling interventions and improvements to be made in those areas of concern.
- Raise Public Awareness: NELC will encourage the local community to become involved in improving air quality and take actions to reduce their contributions to local air quality emissions.
- Funding Air Quality Improvements: To give long term commitment to fund air quality improvements within the borough. air quality emissions.





Contents

1.0 Introduction

- 1.1 Health Effects
- 1.2 Sources of Air Pollution
- 1.3 What is Good Air Quality?
- 1.4 Environmental Act 2021
- 1.5 Air Quality Strategy for England

2.0 Air Quality within North East Lincolnshire

- 2.1 Local Air Quality Management
- 2.2 Annual Status Report
- 2.3 Air Quality Management Area
- 2.4 Local Air Quality Monitoring
- 2.5 National Monitoring
- 2.6 Particulate Matter

3.0 North East Lincolnshire's Air Quality Priorities

- 3.1 Local Policy background
- 3.2 North East Lincolnshire Council Local Plan
- 3.3 Public Health Context
- 3.4 Planning and Air Quality
- 3.5 Local Transport Plan
- 3.6 Climate Change and Energy Management
- 3.7 Indoor Air Quality
- 3.8 Environmental Permitting
- 3.9 Stakeholders
- 3.10 Statutory Nuisance

4.0 Delivering the Strategy

- 4.1 Actions we will take
- 4.2 Monitoring the Effectiveness of this Strategy

5.0 References


6.0 Glossary

Figures

Figure 1: Contributions to pollution across North East Lincolnshire

Tables

Table 1: Recommended Actions and Health Advice Table 2: Air Quality Objectives included in Regulations for the purpose of LAQM in England Table 3: NELC AQ Improvement Measures



72

1.0 Introduction

Air pollution has been linked with several long-term health conditions, including cancer, asthma, heart disease, obesity and changes linked to dementia. Additionally, air pollution particularly affects the most vulnerable in society: children and older people. There is also often a strong correlation with equalities issues because areas with poor air quality are also often the less affluent areas ^{4,5}.

The Council has several statutory responsibilities for air quality, and these are governed by Part IV of the Environment Act 1995 as amended by the Environment Act 2021 and the relevant Policy and Technical Guidance documents. The process places an obligation on all local authorities to regularly review and assess air quality in their areas, and to determine whether the air quality objectives are likely to be achieved. Councils are required to produce an Annual Status Report (ASR) which provides a yearly update on monitoring data; measures to improve air quality; new identified issues; and progress made is submitted to DEFRA for approval. This Strategy will support the measures highlighted in the ASR and outlines how we plan to effectively tackle air quality issues within our borough.

1.1 Health Effects

Recent research commissioned by Public Health England has found that the health and social care costs of air pollution (particulate matter PM2.5 and nitrogen dioxide NO2) in England could reach £5.3 billion by 2035⁶. This is a cumulative cost for diseases which have a strong association with air pollution: coronary heart disease; stroke; lung cancer; and childhood asthma.

Short-term impacts: from mild symptoms such as irritation of the airways, sore throats, and headaches, to severe impacts such as asthma and heart attacks.

Long-term impacts: may include permanently reduced lung function in children, the causation of cardiovascular disease, respiratory illness such as asthma, and early death.



In order to better inform the public about short-term levels of outdoor air pollution and their potential health effects, the Daily Air Quality Index (DAQI) was developed following advice from the Committee on Medical Effects of Air Pollutants (COMEAP). This index, numbered 1-10, standardises the measured values of different pollutants by categorising them into 4 bands (Low, Moderate, High, and Very High). These bands are linked to the perceived impacts to health of each pollutant. As such, the DAQI provides information about the health risk of different levels of pollutants in a simple and comparable format and is like the sun index or pollen index used in weather forecasts. Measured values of the different pollutants should not be directly compared as their effects on health and the environment are very different.


Table 1: Recommended Actions and Health Advice

Air Pollution Banding	Value	Accompanying health messages for at-risk individuals	Accompanying health messages for the general population
Low	1-3	Enjoy your usual outdoor activities.	Enjoy your usual outdoor activities.
Moderate	4-6	Adults and children with lung problems, and adults with heart problems, who experience symptoms, should consider reducing strenuous physical activity, particularly outdoors.	Enjoy your usual outdoor activities.
High	7-9	Adults and children with lung problems, and adults with heart problems, should reduce strenuous physical exertion, particularly outdoors, and particularly if they experience symptoms. People with asthma may find they need to use their reliever inhaler more often. Older people should also reduce physical exertion.	Anyone experiencing discomfort such as sore eyes, cough or sore throat should consider reducing activity, particularly outdoors.
Very High	10	Adults and children with lung problems, adults with heart problems, and older people, should avoid strenuous physical activity. People with asthma may find they need to use their reliever inhaler more often.	Reduce physical exertion, particularly outdoors, especially if you experience symptoms such as cough or sore throat.

1.2 Sources of Air Pollution

The main sources of pollution in the UK is from traffic emissions, the burning of fossil fuels and industrial emissions.

The diagram below gives details of air pollution sources and their effects.



1.3 What is Good Air Quality?

Good air quality relates to the degree which the air is clean, clear, and free from pollutants such as smoke, dust, and smog among other gaseous impurities. Air quality is the term we use to describe how polluted the air we breathe is. When air quality is poor, pollutants in the air may be hazardous to people. Clean air is a basic requirement of a healthy environment for us all to live in, work, and bring up families.

1.4 Environment Act 2021

The Environment Act 2021 enables more effective action to tackle air pollution and deliver health benefits, as well as increasing transparency, co-operation between authorities and accountability at all levels. Specifically, the 2021 Act required new standards to be set for particulate matter (PM) and strengthens provisions for local authorities to tackle pollution from domestic burning (a significant source of PM in the UK)

1.5 Air Quality Strategy for England

The Air Quality Strategy for England is Defra's framework used to enable local authorities to deliver for their communities and contribute to long-term air quality goals, including new ambitious targets for PM²⁵

It fulfils the statutory requirement of the Environment Act 1995 as amended by the Environment Act 2021 to publish an Air Quality Strategy setting out air guality standards, objectives, and measures for improving ambient air quality every 5 years.

The first review was released in April 2023. It provides a strategic framework for local authorities and other partners. It sets out their powers, responsibilities, and further actions the government expects them to take.

<u>Air Quality Strategy - Framework for local authority delivery</u>

It includes the following priorities for clearer air.

- Planning reforms helping to deliver better air quality
- Building capacity in local councils through training, guidance and knowledge sharing
- Reducing emissions from industrial sources through improved enforcement of environmental permits
- Reducing pollution from domestic burning through smoke control areas and cleaner fuels
- Raising awareness within local communities of air quality impacts and how to reduce them
- Boosting active travel and public transport to improve air quality







2.0 Air Quality within North East Lincolnshire 2.1 Local Air Quality Management

The Local Air Quality Management (LAQM)⁷ process places an obligation on all local authorities to regularly review and assess air quality in their areas, and to determine whether the air quality objectives are likely to be achieved.

The air quality objectives apply at locations outside buildings or other natural manmade structures above or below ground, where members of the public are regularly present and might reasonably be expected to be exposed to pollutant concentrations over the relevant averaging period. Typically, these include residential properties, schools and care homes for long-term (i.e. annual mean) pollutant objectives and high streets for short-term (i.e. 1-hour) pollutant objectives.

Where an exceedance of the air quality objectives is considered likely the local authority must declare an Air Quality Management Area (AQMA) and prepare an Air Quality Action Plan (AQAP).

Table 2: Air Quality Objectives included in Regulations for the purpose of LAQM in England⁽⁸⁾

	National air quality objectives and European Directive limit and target values for the protection of human health			
Pollutant	Objective	Measured as	Date to be achieved by (and maintained thereafter)	
Nitrogen dioxide	200 µg/m³ not to be exceeded more than 18 times a year	1-hour mean	31 December 2005	
	40 µg∕m³	Annual mean	31 December 2005	
Particles PM10	50 µg∕m³, not to be exceeded more than 35 times a year	24-hour mean	31 December 2004	
	40 µg∕m³	Annual mean	31 December 2004	
Particles (PM2.5)	Target of 35% reduction in population exposure compared with the average population exposure baseline period (2016 – 2018)	Population exposure reduction	31st December 2040	
	10 µg∕m3 not to be exceeded at any relevant monitoring station	Annual mean	31st December 2040	

2.2 Annual Status Report

Local authorities are required to submit an Annual Status Report (ASR) to the Secretary of State (DEFRA) for consideration each year. The overall aim of the ASR is to report on progress in achieving reductions in concentrations of emissions relating to relevant pollutants below air quality objective levels. It is also where local authorities identify new or changing sources of emissions.

The report is made available to the public, local stakeholders, the Environment Agency, Highways England, and other relevant departments/stakeholders. Information is presented in the executive summary for public to engage in local air quality issues.

The core requirements of the ASR are:

To report progress on the implementation of both established and new measures and their impact in reducing concentrations below the air quality objectives.

To provide a summary of monitoring data to assess the air quality situation in our area and likelihood of air quality breaches, and to provide the necessary evidence base for the impact of air quality measures.

To report on significant new developments that might affect local air quality.

2.3 Air Quality Management Area

In September 2010 following extensive monitoring of air pollution using both real-time air quality analysers and a network of passive diffusion tubes the Council declared an AQMA for a breach of the nitrogen dioxide (NO2) annual mean objective on Cleethorpe Road between Freeman Street and Nacton Street, Grimsby.

An initial Action Plan was published in 2012 setting out the measures the Council intended to introduce to reduce NO2 levels within the AQMA. During 2015 junction alterations were made at Riby Square to help improve traffic flow and bring pollution levels down. The Action Plan was revised in 2020 and a new Air Quality Action Plan was adopted which outlined additional measures to reduce Nitrogen Dioxide concentrations further at this location.

The Annual Status Report 2023 identified that the air quality objective in respect of the Annual Mean for NO2 had been met for five consecutive years within the AQMA. It is usual to revoke an AQMA following three consecutive years of compliance, however we waited for five consecutive years to ensure that an allowance is made for the reduced traffic flows observed during the COVID-19 period.

The AQMA was officially revoked on 22nd May 2024.

2.4 Local Air Quality Monitoring

The monitoring of air quality in North East Lincolnshire takes place using two real-time air quality monitoring stations. These are located in Grimsby on Cleethorpes Road and Peaks Parkway, both monitor for nitrogen dioxide.

There are approximately 35 diffusion tubes located in North East Lincolnshire, giving us Borough wide coverage, these indicatively measure the concentration of nitrogen dioxide. The location of these tubes is reviewed on a yearly basis, concentrating on areas with large traffic volumes and alongside potential new developments.

The main sources of air pollution within North East Lincolnshire are from road traffic and local background which includes domestic sources, agriculture, and emissions from the industrial areas in Grimsby and Immingham.

To help inform the development of air quality measures, source apportionment of the different road traffic categories has been undertaken.

Figure 1: Contributions to pollution across North East Lincolnshire

Regional Car Background November 2017 10. LGV HGV Bus Local Background Z \checkmark Ш ш

The main source of air pollution within North East Lincolnshire is from road traffic (22.2%) and local background (59.3%), this includes domestic, agriculture and industrial sources. Followed by regional background at 18.5%, NELC are unable to influence the regional background, however the local background and local sources NELC have an influence over.


This means NELC should be able to influence 77.8% of total nitrogen oxide (NOx) concentrations with intervention policies. To ensure this figure is reduced air quality needs to be considered within all North East Lincolnshire future growth plans.

2.5 National Monitoring

The Automatic Urban and Rural Network (AURN) is the UK's largest automatic monitoring network and is used for compliance reporting against the Ambient Air Quality Directives. It includes automatic air quality monitoring stations measuring oxides of nitrogen (NOx), sulphur dioxide (SO₂), ozone (O₃), carbon monoxide (CO) and particles (PM₁₀, PM_{2.5}). These sites provide high resolution hourly information, which is communicated rapidly to the public, using a wide range of electronic, media and web platforms **9**.

An urban background AURN monitoring station was installed at the junction of Woodlands Avenue and Oaklands Road, in the residential area of Immingham in November 2017 ¹⁰.





S

D

2.6 Particulate Matter


Particulate Matter (PM) is everything in the air that is not a gas and as such it is made up from a huge variety of chemical compounds and materials some of which can be toxic. Due to the small size of many of the particles that form PM some of these toxins may enter the bloodstream and be transported around the body, lodging in the heart, brain and other organs. Therefore, exposure to PM can result in serious impacts to health.

Particulates are classified according to size. The UK is currently focused on measuring the fractions of PM where particles are less than 10 micrometres in diameter (PM10) and less than 2.5 micrometres (PM2.5).

A small proportion of the concentrations of PM that people in the UK are exposed to come from naturally occurring sources such as pollen and sea spray. Another third is transported to the UK from other European countries. However, around half of UK concentrations of PM comes from human made sources in the UK such as wood burning and tyre and brake wear from vehicles. As such, it is in the interest of the UK to identify and reduce these emissions where possible.

The Environment Act 2021 required new standards to be set for fine particulate matter. These targets apply at a national level and place a duty on national government to achieve. As detailed in Policy Guidance LAQM: PG22 (Chapter 8)¹¹, local authorities are expected to work towards reducing emissions and/or concentrations of PM2.5

Although not initially developed to reduce concentrations of PM2.5, several measures outlined in the ASR are related to vehicles and will help reduce concentrations. Therefore, by the reduction of vehicle use, and the introduction of more efficient and less polluting vehicles, concentrations of PM2.5 will decrease



3.0 North East Lincolnshire's Air Quality Priorities 3.1 Local Policy background

All people in North East Lincolnshire should enjoy good health and wellbeing. Through ensuring air quality issues are considered in the wider decision-making framework, NELC can provide continued improvement in local air guality conditions and secure future health improvements.

NELC's priorities are for a Stronger Economy and Stronger Communities. We want North East Lincolnshire to be an attractive place to live, work, visit and invest, and know that we have significant and exciting opportunities for growth in our area.

North East Lincolnshire Council's Environmental Protection Team are responsible for undertaking the statutory duty of protecting and improving the air quality of North East Lincolnshire. The functions undertaken by the team are underpinned by the key strategic outcomes framework which sets out the five high level outcomes.

Built in to NELC's outcome framework is the commitment to a place-based approach to social value. Social value is defined as "outcomes and activities that will improve the guality of life and life chances of our residents and enhance the economic, social and environmental sustainability of the local area"12.

Our Social Value Policy aims to:

- Involve local people and organisations in how we meet the needs of local communities through the commissioning cycle.
- Tackle disadvantage and address inequalities of health, wealth, and opportunity across the borough.
- · Promote the local economy by supporting micro, small and medium sized enterprises, and the voluntary and community sector to thrive.
- Further our sustainable procurement objectives to protect and enhance the environment.

Maintaining good air quality is important to these policies and outcome framework. In developing the Air Quality Strategy, we have considered these aims and will adopt them as guiding principles when delivering our service priorities.

3.2 North East Lincolnshire Council Local Plan

The North East Lincolnshire Local Plan 2013-2032 was adopted by North East Lincolnshire Council on 22nd March 2018. It sets out the council's vision and strategy for the borough until 2032. The Local Plan identifies several Strategic Objectives to provide a framework for policies. This includes Policy SO2 on Climate Change which aims to "Address the causes and effects of climate change by promoting development that... reduces pollution". A number of "critical success factors" are also listed, which include to have "addressed the issue of poor air quality" and "reduced the number of declared Air Quality Management Areas in the borough".

Air guality is also included into the following policies,

Policy 5 Development Boundaries: All development proposals located within or outside of the defined boundaries will be considered with regard to suitability and sustainability, having regard to: impact upon neighbouring land uses by reason of noise, air quality, disturbance, or visual intrusion.

Policy 31 Renewable and low carbon infrastructure: Infrastructure will be assessed on their merits and subject to following impact considerations, taking account of individual and cumulative effects: local amenity, including noise, air quality, traffic, vibration, dust, and visual impact.

Policy 36 Promoting sustainable transport: To reduce congestion, improve environmental guality and encourage more active and healthy lifestyles, the Council will support measures that promote more sustainable transport choices.

By establishing a strategic framework for the inclusion of air quality considerations within council policies and procedures, the local authority is well placed to maintain good air quality and secure improvements in air quality.

3.3 Public Health Context

Local authorities have a range of powers which can effectively help to improve air quality. However, the involvement of public health officials is crucial in playing a role to assess the public health impacts and providing advice and guidance on taking appropriate action to reduce exposure and improve the health of everyone in North East Lincolnshire.

Mounting scientific evidence shows the scale of the impact of poor ambient air quality on health. Although the links between air pollution as a direct cause of death are still the subject of much debate, poor air quality is considered to be a significant contributory factor to the loss of life, shortening lives by an average of 5 months. The Committee on the Medical Effects of Air Pollution (COMEAP) provides advice to

Government on the setting of air quality standards, and increasingly has sought to consolidate evidence on the health burden and impacts of various pollutants, both in single occurrence and pollutants in combination. The current range of estimate for annual mortality burden for man-made air pollution in the UK is estimated to be between 28,000 - 36,000 deaths¹³.

Public Health England recommends adopting a net health gain principle in any policy or work programme affecting air pollution. This should mean that any new development will be clean by design and that any new development or proposal for change to existing developments should intend to deliver an overall benefit to public health. The impact would be that housing and other community developments would by default be well designed to reduce pollution, support walking, cycling and clean public transport, as well as providing charging points for future ultra-low emission vehicles, etc.

Evidence suggests interventions aiming to reduce population exposure to pollution will have the biggest overall health impact, although action also needs to be taken to reduce inequalities in exposure and to protect vulnerable groups¹⁴.

3.4 Planning and Air Quality

Air quality issues are a material consideration in determining planning applications. NELC consider that the planning system has an important role in protecting people from unacceptable health effects caused by air pollution and preventing the further deterioration of the local air quality. These considerations must, however, be balanced against other aims of the Council such as securing economic growth and to provide adequate levels of housing and development.

- The classification of the development proposal needs to be determined.
- Assessing and guantifying the impact on local air guality.
- Determine the level of mitigation required by the proposed development to meet local air quality requirements.

The overall outcome of an air quality assessment is to determine whether the development will have a significant impact on air quality and/or whether the existing air quality is acceptable for the proposed development to be completed.

3.5 Local Transport Plan

The Local Transport Plan sets out the vision, policies, strategies, and priorities for the improvement of highways, access and connectivity of the local transport system.

The current Local Transport Plan (LTP) is being refreshed and due for publication towards Autumn 2024. The key themes are focused on de-carbonisation of transport with a big focus on electric vehicles and the infrastructure required to support the Government targets over the next few years of eliminating petrol and diesel cars, HGV's and buses which are one of the main factors that increase air pollution.

The LTP is closely aligned to wider Council strategies and the new Local Plan highlighting the important role that highways and transport have in supporting the Council's aspirations for a stronger economy and stronger local communities here in North East Lincolnshire

Offering sustainable and green alternatives to car travel are a major focus and North East Lincolnshire Council will be looking at offering better improved services along with educating and encouraging change in people's choices to show improved healthier lifestyles that emerge from cycling and walking which ultimately help improve the air quality.

Further information on the LTP can be found on North East Lincolnshire Council website: https://www.nelincs.gov.uk/streets-travel-and-parking/



3.6 Climate Change and Energy Management

The close connection between air quality and climate change can have a direct impact on the health and well-being of both humans and the natural environment. Air Quality and Climate Change policies promote practices that reduce the effects on health and the environment of both air pollution and greenhouse gases.

In October 2019, North East Lincolnshire Council declared a climate emergency and in 2016 the council signed up to Climate Local. Since then, North East Lincolnshire Council has worked with partner EQUANS to plan how to reduce the carbon emissions. The Net Zero Carbon Roadmap explains how targets will be achieved and mitigate the impact of climate change. North East Lincolnshire Council adopted the roadmap and set net zero targets in December 2021.

The Net Zero Carbon Roadmap sets out six workstreams which must be completed to reach net zero by 2030:

- Low carbon estate (our buildings)
- Low carbon fleet (council vehicles)
- Low carbon street lighting
- Climate-conscious decision-making
- Climate-conscious purchasing (goods and services)
- Climate conscious behaviours (staff and those who work for the council)

The Net Zero Carbon Roadmap also sets out a further six workstreams the council will follow, to help North East Lincolnshire reach carbon net zero by 2050:

- Climate-conscious community: by facilitating and encouraging community engagement and sustainability actions
- Low carbon commercial buildings: working as an enabler to ensure sufficient support is in place for businesses to increase sustainability
- Low carbon transport: through policy change, network investment and partnership working we want to enable a local transition to more sustainable travel
- Low carbon industry: by supporting our partners and industry in achieving industrial decarbonisation, including carbon capture and hydrogen economy
- Enable low carbon new homes-through our role as a policy maker and planning authority
- Climate-conscious improvements to older homes, by supporting our partners and residents to improve their homes to become more sustainable.

3.7 Indoor Air Quality

The Clean Air Quality Strategy explains that many people are unaware that emissions in the home increase personal exposure to pollutants and contribute significantly to our overall national emissions.


The principal forms of indoor air pollution are particulate matter (PM) and Non-Methane Volatile Organic Compounds (NMVOCs). PM is produced by many forms of cooking and home heating, most notably from combustion in open fires and stoves. NMVOCs are emitted by a wide variety of chemicals that are found in carpets, upholstery, paint, cleaning, fragrance, and personal care products. Sulphur dioxide (SO2) is emitted by coal burned in open fires.

Indoor air pollution both increases personal exposure and contributes to our overall national emissions as most of these indoor emissions end up in the atmosphere. There are simple, practical steps that we can all take to reduce our exposure such as ensuring homes are adequately ventilated and making informed choices about the products we use.

These indoor emissions can have a significant impact for some people and add to everyone's incremental exposure over the life course. Studies have found that as much as 90% of the day is spent indoors where the levels of some air pollutants are often far higher than outside.

3.8 Environmental Permitting

The Environmental Permitting (England and Wales) Regulations 2016⁽¹⁵⁾ enables local authorities to control pollution from certain types of industry, such as coal handlers, bulk cement & petrol filling stations, through applying for a permit to operate. These permits consist of specific conditions that the operators have to adhere to. Inspections are carried out at the installations to ensure that the permit conditions are not in breach.




3.9 Stakeholders

NELC work with relevant partners, including Associated British Ports (ABP), EQUANS, Stagecoach, transport operators, local businesses, and industry, to achieve the necessary improvements in air quality. All local stakeholders need to be involved and NELC encourages participation in the process. NELC have formed an internal Air Quality Steering Committee, the aim of the group is to involve other departments across the Council and make them aware of air quality issues within the borough. The group is working towards ensuring air quality is considered in all aspects of Council decision making. This committee also gives officers the opportunity to bring forward any ideas on how air quality can be improved in North East Lincolnshire. Representatives from Environmental Protection, Planning, Public Health, Transport, Highways, Communications and Carbon Reduction Teams meet on a quarterly basis.

3.10 Statutory Nuisance

The Environmental Protection Department has a statutory duty to investigate justified complaints of statutory nuisance these include emissions of smoke, fumes or gases, dust, steam, and smell. We work with businesses to discuss the issues and achieve the necessary improvements, whenever possible. The emissions must arise from premises and must affect the use or enjoyment of other premises. In some cases where this cooperation is not being given, we have to rely on our formal powers.





4.0 Delivering the Strategy

The aim of the Air Quality Strategy is to support the achievement of Air Quality Objectives as discussed previously and to set out the areas where the council can deliver local air quality improvements. The strategy provides the framework to achieve the overall ambition of maintaining and achieving good Air Quality within North East Lincolnshire.

The strategy focuses on seven broad topics which set out the objectives where the council can influence a reduction in air pollution within the borough.

Transport: Working towards a cleaner, less polluting transport network that both supports sustainable transport modes (walking, cycling, car share and public transport) and makes maximum use of existing resources through effective highways and transport planning.

Public Health: Encouragement of wider behavioural changes in local population with respect to their travel choices, raise awareness and educate members of the public on the health impact of air pollution.

Planning and Infrastructure: Be involved in the planning decision making process as early as is practicable to mitigate potential air quality impacts and support environmentally sustainable development in NEL.

Strategies and Policy Guidance: Working with other departments and stakeholders to direct the use of legislation and targeted enforcement to control air pollution. Air Quality Monitoring: The collation of air quality monitoring data will identify pollution hotspots enabling interventions and improvement to be made in those areas of concern.

Raise Public Awareness: NELC will encourage the local community to become involved in improving air quality and take actions to reduce their contributions to local air quality emissions.

Funding Air Quality Improvements: To give long term commitment to fund air quality improvements within the borough.

4.1 Actions we will take

The objectives are to be achieved through a series of actions listed in the table below. These summarise work already being achieved or planned for delivery to help the Council protect and, where necessary, improve air quality in North East Lincolnshire.


NELC AQ Improvement Measures	Outcomes	Timeframe
Improve public transport services, bus stop/ train infrastructure & information.	Increase in use of public transport based on average numbers of people using the services.	On-going
Bus Priority Measures	Increase in public transport use and reduction is bus punctuality/ journey time	2025
Encourage Council Travel Plan opportunities and seek to car share/public transport/ walking/cycling.	Increase the number of employees' car sharing/using public transport/ walking/cycling.	On-going
Bus fleet upgrades.	Number of low/zero emission buses.	On-going
Continue to promote and facilitate cycling for both transportation and leisure purposes.	Uptake of cycling incentives and bike purchases.	On-going
Encouraging residents and visitors to North East Lincolnshire to use car share and public transport.	Increase the number of residents and visitors to car share/ use public transport.	On-going
Public Air Quality Information: Provide further advice to the residents of NEL, including promotion of fuel saving measures within residential and commercial, buildings.	Number of hits on upgraded website per annum.	On-going
Annual Air Quality Reports to be made available on the NELC website.	Published reports online after DEFRA approval.	Annually
Ensure that air quality is considered in the planning process.	All planning applications will be appraised to minimise and protect local air quality.	Weekly
Work together with developers to improve sustainable transport links serving new developments.	New developments to ensure public transport is accessible.	Weekly
Work together with developers to promote the inclusion of electric charging points for electric/hybrid vehicles at new development sites.	All developments will be requested to provide electric vehicle infrastructure.	Weekly
Inclusion of measures to improve air quality in all NELC new or updated strategies.	Air quality to be considered in all NELC decision making.	On-going
Environmental Permitting Regulations (EPR) (England and Wales) 2016	Ensure that emissions from local industry are regulated.	Annually
NELC Vehicle Procurement.	Ensure that NELC is working towards sustainable vehicle replacement.	On-going
Air quality will be monitoring throughout the Borough.	Monitoring of pollutants to ensure the protection of local air quality.	Daily
Declared Climate Emergency in September 2019.	Carbon Neutral by 2050.	2050
Air Quality Planning Technical Advice Note	Number of planning applications with air quality conditions/assessments.	In progress
Provide information on Indoor Air Quality	Ensure people are educated to make informed decisions	On-going
EV Infrastructure Project	Installing 800 EV charging points in NEL	2030

4.2 Monitoring the Effectiveness of this Strategy

This Strategy provides the tools to prevent the deterioration of the local air quality and help protect people from unacceptable health effects caused by air pollution.

The progress made on our air quality strategy and the national objective targets will be reviewed and reported on annually within the Annual Status Report. Annual reporting of the progress made will ensure NELC can regularly monitor where adjustments need to be made to ensure targets are met. Its performance is dependent on the adoption of the Air Quality Strategy by NELC and the commitment of relevant stakeholders, both internal and external.

The annual report will be produced as a separate document and displayed on the NELC website alongside the air quality strategy.




References

- World Health Organisation, Ambient Air Pollution
- PHE publication, Health Matters; Air Pollution
- Clean Air Strategy 2019
- Environmental equity, air quality, social economic status and respiratory health, 2010
- Air guality and social deprivation in the UK: an environmental inequalities analysis, 2006
- New tool calculates NHS and social care costs of air pollution
- DEFRA Local Air Quality Management
- Policy Guidance LAQM.PG22: Air Quality Objectives
- DEFRA: Automatic Urban and Rural Network (AURN)
- DEFRA: Monitoring Networks
- Policy Guidance LAQM.PG22(Chapter 8)
- North East Lincolnshire Council: Vision and Aims
- PHE publication, Associations of long-term average concentrations of nitrogen dioxide with mortality (2018): COMEAP summary
- PHE publication: Review of interventions to improve outdoor air quality and public health
- The Environmental Permitting (England and Wales) Regulations 2016

https://www.gov.uk/government/publications/nitrogen-dioxide-effects-on-mortality/ associations-of-long-term-average-concentrations-of-nitrogen-dioxide-with-mortality-2018-comeap-summary





Glossary

ABP	Associated British Ports
AQMA	Air Quality Management Area
AQAP	Air Quality Action Plan
AQS	Air Quality Strategy
ASR	Annual Status Report
AURN	Automatic Urban and Rural Network
СО	Carbon Monoxide
COMEAP	Committee on Medical Effects of Air Pollutants
COVID-19	Coronavirus disease 19
CO2	Carbon Dioxide
DAQI	Daily Air Quality Index
DEFRA	Department for Environment, Food & Rural Affairs
DfT	Department for Transport
EPR	Environmental Permitting Regulations
LAQM	Local Air Quality Management
LTP3	Local Transport Plan 3 (updated 2016)
µg∕m3	concentration of an air pollutant is given in micrograms (one-millionth of a gram) per cubic meter air
NEL	North East Lincolnshire
NELC	North East Lincolnshire Council
NMVOCs	Non-Methane Volatile Organic Compounds
NO2	Nitrogen Dioxide
NOx	Nitrogen Oxides
03	Ozone
PM10	Airborne particulate matter with an aerodynamic diameter of 10µm (micrometres or microns) or less
PM2.5	Airborne particulate matter with an aerodynamic diameter of 2.5 μm or less
SO2	Sulphur Dioxide